

**Comparative Study of Soil Constitutive Models on
Simulation of a Diaphragm Walled Excavation in
Macao Alluvium**

By

Ng Chi Hong

Master Degree of Science in Civil Engineering

2009



**Faculty of Science and Technology
University of Macau**

TABLE OF CONTENTS

List of Figures	ix
List of Tables	xvii
Chapter 1: Introduction	1
1.1 Background	1
1.2 Research Methodology	1
1.3 Thesis's Structures	1
Chapter 2: Literature Review	3
2.1 Previous Performance of Soil Retaining System in Deep excavation	3
2.1.1 Bjerrum and Eide (1956)	3
2.1.2 Peck (1969)	4
2.1.3 Lambe (1970).....	5
2.1.4 Mana and Clough (1981)	5
2.1.5 Clough et al. (1989)	8
2.1.6 Clough and O'Rourke (1990)	10
2.1.7 Michael Long (2001)	11
2.1.8 Teoh et al. (2001).....	11
2.2 The Numerical Techniques For Studying The Behavior of Soil and Retaining System Induced by Deep Excavation	13
2.2.1 General Modelling Techniques	13
2.2.1.1 Potts and Fourie (1984, 1985, 1991).....	13
2.2.1.2 Zornberg and Zornberg et al.(1990, 1994).....	13
2.2.1.3 Powrie and Li (1991)	14
2.2.1.4 Schweiger (1994).....	14
2.2.1.5 Ou and Lai (1994).....	14
2.2.1.6 Ng et al. (1990)	15
2.2.1.7 Teparaksa et al. (1998).....	15
2.2.1.8 Subrahmanyam and Leong (1999, 2001).....	15
2.2.2 Small Strain Consideration	16

2.2.2.1 Jardin et al. (1986)	16
2.2.2.2 Hsieh et al. (2003).....	16
2.2.3 3D Modelling	16
2.2.3.1 Ou et al. (2001)	16
2.2.3.2 Narong et al (2006)	17
2.2.4 Influence of Diaphragm Wall Installation	17
2.2.4.1 Ng et al. (1995)	17
2.2.4.2 Ng and Yan (1998, 1999).....	17
2.2.4.3 Gourvenec and Powrie (1999)	18
Chapter 3: Soil Constitutive Model	19
3.1 Isotropic Linear Elastic Model (ILE).....	19
3.2 Mohr Coulomb Model (MC)	20
3.3 Duncan Hyperbolic Model.....	23
3.3.1 Nonlinearity	24
3.3.2 Stress - Dependence.....	24
3.3.2.1 Volume-Change relationship	25
3.3.3 Inelasticity.....	26
3.3.4 Strength	27
3.4 Lade Model (LD)	27
3.4.1 Strain Component	27
3.4.1.1 Elastic Strain	29
3.4.1.2 Plastic Collapse Strain	29
3.4.1.3 Plastic Expansive Strain.....	31
3.4.2 Modelling Normally Consolidated Clays	36
3.5 Modified Cam Clay Model (MMC).....	37
3.5.1 Relationship Between $v - \ln(p)$	38
3.5.2 Stable State Boundary Surface / Yield Surface	40
3.5.3 Flow Rule.....	41
3.5.4 Hardening Rule	41
3.6 Three Surface Kinematics Hardening Model (3SKH).....	42
3.6.1 Relationship Between $\ln(v) - \ln(p)$	42

3.6.2 Yield Surface	43
3.6.3 Translation Rule.....	45
3.6.4 Flow Rule.....	47
3.6.5 Hardening Rule	47
Chapter 4: Case Record	48
4.1 Site Location and Ground Condition	48
4.2 Construction Sequence.....	55
4.3 Instrumentation	56
Chapter 5: Material Parameters	59
5.1 Correlation with SPT N values	59
5.1.1 Strength Parameters	59
5.1.2 Equivalent Elastic Young's Modulus Approach (Group A).....	61
5.1.3 Shear Wave Velocity Approach (Group B).....	63
5.2 Material Parameters of Structural Elements	64
5.3 Material Parameters of Slip Elements.....	64
5.4 Modelling Stress-Strain Curve.....	69
Chapter 6: Finite Element Analysis of Deep Excavation	73
6.1 Finite Element Model	73
6.1.1 Geometry and Boundary Condition.....	73
6.1.2 Computational Steps	74
6.2 Analytical Results	77
6.2.1 Equivalent Elastic Young's Modulus Approach (Group A).....	78
6.2.1.1 Wall deflection.....	78
6.2.1.2 Ground settlement.....	82
6.2.1.3 Contour plot	86
6.2.1.4 Stress path	96
6.2.1.5 Bending moments	97
6.2.1.6 Strut load.....	100
6.2.2 Shear Wave Velocity Approach (Group B).....	102
6.2.2.1 Wall deflection.....	102
6.2.2.2 Ground settlement.....	105

6.2.2.3 Contour plot	109
6.2.2.4 Stress path	119
6.2.2.4 Bending moments	120
6.2.2.5 Strut load	123
Chapter 7: Summary, Conclusion, and Recommendations	126
Appendix I: Implementation of EB Model	129
I.1 Volume – Change Relationship	129
I.2 Stress State criterion	130
I.3 Verification of EB Model	131
Appendix II: Implementaiton of Lade Model	134
II.1 Incrementalization Procedure	134
II.2 Correction of Lade Model (KOVAČEVIĆ, 1994)	140
II.3 Stress State Criterion	141
II.4 Verificatino of Lade Model	141
II.4.1 Modelling Behavior of Coehsionless Material – Sacramento River Sand (Lade, 1977)	143
II.4.2 Modelling Behavior of Cohesive Material – NC Grundite Clay	148
Bibliography	154