

MSTC 016
016
016

**Chemical Analysis Studies on the Volatile
Components of Herba Pogostemonis**

by

Linfeng Hu

Master of Science

2005



**Institute of Chinese Medical Sciences
University of Macau**

TABLE OF CONTENTS

LIST OF FIGURES	iv
LIST OF TABLES	vii
LIST OF ABBREVIATIONS	viii
PREFACE	ix
ACKNOWLEDGMENTS	xi
Chapter 1 Literature review	1
1.1 Chemical composition	2
1.2 The extraction and separation methods	4
1.3 Quality control	5
1.3.1 Chemical method	5
1.3.2 Thin-layer chromatography	6
1.3.3 Content assay	7
1.4 Pharmacological actions	7
1.4.1 Functions of adjusting alimentary canal and the effect on the smooth muscles in the gut	7
1.4.2 Antibacterial actions	8
1.4.3 Accelerating secretion of gastric juice	8
1.4.4 Other actions	8
1.5 Conclusion	9
Chapter 2 Chemical separation of patchouli oil	10
2.1 Chemical separation	10
2.1.1 Materials	10
2.1.2 Separation method	11
2.1.2.1 Separation of crystal (A) from patchouli oil	11
2.1.2.2 Separation of crystal (B) from patchouli oil	11
2.2 Inspection of the purity of separated compounds	12
2.2.1 Materials	12
2.2.2 Method	12
2.2.2.1 Preparation of chemical solutions	13
2.2.2.2 HPLC analysis	13

2.3 Structures validation of the separated chemicals	14
2.3.1 Instruments	14
2.3.2 Structure validation	14
2.3.2.1 Crystal A	14
2.3.2.2 Crystal B	19
2.4 Conclusion	22
Chapter 3 Qualitative and quantitative analyses of two chemical components in <i>Pogostemon cablin</i>	24
3.1 Optimization of extraction	24
3.1.1 Materials	24
3.1.2 Optimization of pressurized liquid extraction (PLE) conditions	25
3.1.2.1 Selection of the extraction solvents	26
3.1.2.2 Selection of the extraction particle size	26
3.1.2.3 Selection of the extraction temperatures	27
3.1.2.4 Selection of the extraction pressures	28
3.1.2.5 Selection of the extraction time	29
3.1.2.6 Selection of the extraction flushes	30
3.1.2.7 Selection of the extraction cycles	31
3.1.2.8 Selection of the extraction times	32
3.1.3 Optimization of ultrasonic extraction (UE)	33
3.1.3.1 Selection of the extraction solvents	34
3.1.3.2 Selection of the particle size	34
3.1.3.3 Selection of the extraction time	35
3.1.3.4 Selection of quantities of the solvent	36
3.1.4 Steam distillation (SD)	37
3.1.5 Soxhlet extraction (SX)	38
3.1.6 Comparisons among PLE, UE, SX and SD	38
3.2 GC-MS analysis of <i>Pogostemon cablin</i>	40
3.2.1 Materials	41
3.2.2 Pressurized liquid extraction (PLE)	42
3.2.3 GC-MS analysis	43
3.2.3.1 Optimization of conditions of GC-MS	43
3.2.3.2 Identification of components in Patchouli	43
3.2.3.3 Validation of the method	48
3.2.3.4 Results	51
3.3 Conclusion	52
Chapter 4 GC-MS fingerprint of <i>Pogostemon cablin</i>	54
4.1 Hierarchical clustering analysis	54

4.2 Establishment of the method of fingerprint	56
4.3 Conclusion	59
CHAP 5 Conclusion and discussion	60
REFERENCE	62
VITA	69