

7/15/10
050
7/1/1

**Intelligent Power Factor Controller
with New Measuring Method
and Fuzzy Logic Control**

by

Tam Kin Seng

A Thesis submitted in partial fulfillment
of the requirements of the Degree of

Master of Science

in

Electrical and Electronic Engineering

Faculty of Science and Technology
University of Macau

April 1998

Content

ABSTRACT.....	1
Charter 1	
Introduction.....	2
Chapter 2	
Separations of this project	3
2.1 The brief of the new measuring method for the power factor (subproject Wvreader)	3
2.2 The brief of the intelligent power factor controller (subproject Pfc-in-pc)	3
2.3 The brief of the fuzzy logic control problems (subproject Fuzzywork)	4
2.4 The brief of the prototype machine for the intelligent power factor controller (subproject Pfc-in-Single Chip μ p)	4
Chapter 3	
The new measuring method for the power factor (subproject Wvreader)	6
3.1 Introduction	6
3.2 The new measuring method	6
3.2.1 The principle of the measuring method	6
3.2.2 The formula for active power and reactive power	10
3.2.3 Configuration of hardware and software	10
3.2.3.1 The electronic circuit of the detectors	10
3.2.3.2 The program in wvreader	12
3.2.4 The accuracy of the measuring method	12
3.3 The result of Wvreader	13
3.4 Conclusion for this chapter	15
Chapter 4	
The intelligent power factor controller (subproject Pfc-in-pc)	17
4.1 The principle of the intelligent power factor controller	17
4.2 The control methods in Power factor controller	17
4.2.1 Dead band	18
4.2.2 Response delay	18
4.2.3 Variable response delay	20
4.2.3.1 The first index of variable response delay	20
4.2.3.2 The second index of variable response delay	21
4.2.4 Integrated control	22

4.2.4.1 Intelligent integrated control	22
4.2.5 Fuzzy logic control	27
4.3 General description	27
4.4 Result	34
4.5 Conclusions for this chapter	34
 Chapter 5	
The fuzzy logic control problems (subproject Fuzzywork)	37
5.1 Introduction	37
5.2 The software package	38
5.3 The fuzzy inference engine	40
5.3.1 The fuzzification	40
5.3.1.1 The membership function of 4 points description	40
5.3.1.2 The membership function of 2 points 2 slopes description	41
5.3.1.3 The algorithm for obtaining the membership value	42
5.3.2 Fuzzy inference	42
5.3.3 Defuzzification	44
5.4 Conclusion for this chapter	45
 Chapter 6	
The prototype machine for the intelligent power factor controller (subproject Pfc-in- Single Chip μ p)	46
6.1 The configuration of prototype machine	46
6.1.1 The configuration of hard ware	46
6.1.2 The configuration of software	47
6.2 The operations of prototype machine of the demo version	47
6.2.1 The mode selections of the demonstration version of prototype machine	47
6.2.2 The operations of the prototype machine	49
6.3 The results for the prototype machine	51
6.3.1 The experiment for prototype machine using the demonstration model	53
 Conclusion for whole project	57
 Reference	60
Appendix A (One record from a power energy meter)	65
Appendix B (The read me file of fuzzywork)	66
Appendix C (The programs)	74