

**Bio-Remediation of BTEX-Contaminated Water with
Enhanced Removal Efficiency**

by

Choi Seng Fai (Derek)

**A thesis submitted for partial fulfillment of the requirements for the
degree of**

Master of Science in Civil Engineering

2006



**Faculty of Science and Technology
University of Macau**

CONTENT

| | |
|--------------------------------------------------------------|-----|
| VITA..... | iv |
| ABSTRACT..... | v |
| LIST OF FIGURES | vii |
| LIST OF TABLES..... | x |
| LIST OF ABBREVIATIONS..... | xii |
| LIST OF ABBREVIATIONS..... | xii |
| ACKNOWLEDGEMENTS..... | xiv |
| Chapter 1: Introduction | 1 |
| Chapter 2: Literature Review..... | 3 |
| Chapter 3: Materials and Methods..... | 7 |
| 3.1 Chemicals:..... | 7 |
| 3.2 Soil Samples for Microbial Isolates..... | 7 |
| 3.3 Enrichment:..... | 8 |
| 3.4 Batch Experiments and Measurements:..... | 14 |
| 3.5 Identification of Microorganisms..... | 21 |
| 3.5.1 Gram Stain | 21 |
| 3.5.2 Commercial Kits Containing Biochemical Tests..... | 22 |
| Chapter 4: Results and Discussions | 23 |
| 4.1 Relationship between OD and Number of Viable Cells | 23 |
| 4.2 Removal of BTEX using Indigenous Microbes..... | 26 |
| 4.2.1 Removal of Individual BTEX..... | 28 |
| 4.2.1.1 Benzene..... | 28 |
| 4.2.1.2 Toluene | 28 |
| 4.2.1.3 Ethylbenzene..... | 29 |
| 4.2.1.4 <i>ortho</i> -Xylene..... | 29 |
| 4.2.1.5 <i>meta</i> -Xylene..... | 29 |
| 4.2.1.6 <i>para</i> -Xylene..... | 30 |
| 4.2.2 Removal of Two BTEX Compounds in Mixture..... | 32 |
| 4.2.2.1 Benzene and TEX..... | 32 |
| 4.2.2.1.1 Benzene and Toluene..... | 32 |

| | |
|----------------------------------------------------------------------|----|
| 4.2.2.1.2 Benzene and Ethylbenzene | 32 |
| 4.2.2.1.3 Benzene and <i>ortho</i> -Xylene | 33 |
| 4.2.2.1.4 Benzene and <i>meta</i> -Xylene | 33 |
| 4.2.2.1.5 Benzene and <i>para</i> -Xylene..... | 33 |
| 4.2.2.2 Toluene and EX | 35 |
| 4.2.2.2.1 Toluene and Ethylbenzene | 35 |
| 4.2.2.2.2 Toluene and <i>ortho</i> -Xylene | 35 |
| 4.2.2.2.3 Toluene and <i>meta</i> -Xylene | 35 |
| 4.2.2.2.4 Toluene and <i>para</i> -Xylene | 36 |
| 4.2.2.3 Ethylbenzene and Three Xylene Isomers | 37 |
| 4.2.2.3.1 Ethylbenzene and <i>ortho</i> -Xylene | 37 |
| 4.2.2.3.2 Ethylbenzene and <i>meta</i> -Xylene | 37 |
| 4.2.2.3.3 Ethylbenzene and <i>para</i> -Xylene..... | 37 |
| 4.2.3 Removal of Three BTEX Compounds in Mixture..... | 38 |
| 4.2.3.1 Benzene, Toluene and <i>ortho</i> -Xylene | 38 |
| 4.2.3.2 Benzene, Toluene and <i>meta</i> -Xylene | 39 |
| 4.2.3.3 Benzene, Toluene and <i>para</i> -Xylene..... | 39 |
| 4.2.3.4 Benzene, Ethylbenzene and <i>ortho</i> -Xylene..... | 40 |
| 4.2.3.5 Benzene, Ethylbenzene and <i>meta</i> -Xylene..... | 40 |
| 4.2.3.6 Benzene, Ethylbenzene and <i>para</i> -Xylene..... | 40 |
| 4.2.3.7 Toluene, Ethylbenzene and <i>ortho</i> -Xylene | 42 |
| 4.2.3.8 Toluene, Ethylbenzene and <i>meta</i> -Xylene | 42 |
| 4.2.3.9 Toluene, Ethylbenzene and <i>para</i> -Xylene | 42 |
| 4.2.4 Removal of Four BTEX Compounds in Mixture..... | 44 |
| 4.2.4.1 Benzene, Toluene, Ethylbenzene and <i>ortho</i> -Xylene..... | 44 |
| 4.2.4.2 Benzene, Toluene, Ethylbenzene and <i>meta</i> -Xylene..... | 44 |
| 4.2.4.3 Benzene, Toluene, Ethylbenzene and <i>para</i> -Xylene..... | 44 |
| 4.2.5 Factors Affecting Removal of BTEX | 46 |
| 4.2.5.1 pH..... | 46 |
| 4.2.5.1.1 pH 4.0..... | 46 |
| 4.2.5.1.2 pH 5.8 | 46 |
| 4.2.5.1.3 pH 6.6 | 46 |
| 4.2.5.1.4 pH 7.3..... | 47 |
| 4.2.5.1.5 pH 8.0..... | 47 |
| 4.2.5.1.6 pH 9.1..... | 47 |
| 4.2.5.2 Temperature | 48 |
| 4.2.5.2.1 15°C..... | 48 |
| 4.2.5.2.2 20°C | 48 |
| 4.2.5.2.3 25°C | 49 |
| 4.2.5.2.4 30°C | 49 |
| 4.2.5.2.5 35°C | 49 |
| 4.2.5.3 Inoculum Size | 51 |
| 4.2.5.3.1 5% Volume / Volume | 51 |

| | |
|-----------------------------------------|----|
| 4.2.5.3.2 10% Volume / Volume | 51 |
| 4.2.5.3.3 20% Volume / Volume | 51 |
| 4.2.5.4 Substrate Concentration | 53 |
| 4.2.5.4.1 50 mg/L BTEoX | 53 |
| 4.2.5.4.2 350 mg/L BTEoX | 53 |
| 4.2.5.4.3 50 mg/L BTE <i>m</i> X | 53 |
| 4.2.5.4.4 350 mg/L BTE <i>m</i> X | 54 |
| 4.2.5.4.5 50 mg/L BTE <i>p</i> X | 54 |
| 4.2.5.4.6 350 mg/L BTE <i>p</i> X | 54 |
| 4.2.5.5 Medium Type | 55 |
| 4.2.5.5.1 BTEoX in NB | 55 |
| 4.2.5.5.2 BTE <i>m</i> X in NB | 55 |
| 4.2.5.5.3 BTE <i>p</i> X in NB | 56 |
| 4.3 Microbial Identification | 57 |
| Chapter 5: Conclusion | 58 |
| Bibliography | 62 |
| Appendix | 66 |