





# *Detecting ECG Late Potentials Using Wavelet Transform*



A Thesis submitted for the degree of  
**Doctor of Philosophy**  
at the  
Department of Electrical and Electronics Engineering  
Faculty of Science and Technology  
University of Macau  
By  
**VAI Mang I 韋孟宇**  
Supervisor: Prof. Zhou Li-gao  
Co-supervisor: Prof. Rui Paulo da Silva Martins  
May 2002

# *Table of Contents*

<b>Chapter 1</b>	<b>Introduction</b>	<b>1-1</b>
	Table of Contents	1-1
	Table of Figures	1-3
1.1	Electrocardiograms	1-5
1.1.1	The ECG mechanism	1-5
1.1.2	The ECG waveform	1-8
1.1.3	Recording of the ECG	1-10
1.1.4	The ECG lead system	1-11
1.2	Ventricular late potentials	1-12
1.2.1	The clinical value of ventricular late potentials	1-14
1.2.2	Ventricular late potentials data acquiring	1-14
1.2.3	Ventricular late potentials detecting	1-15
1.2.4	Difficulty in detecting Ventricular Late Potentials	1-15
1.2.5	Noise reduction	1-16
1.2.6	Detect ventricular late potentials in time domain	1-17
1.2.7	Detect ventricular late potentials in other domains	1-17
1.2.8	Typical ventricular late potentials detecting procedure currently used	1-18
1.2.9	Detecting variance of ventricular late potentials	1-19
1.2.10	Drawback of existing methods	1-19
1.3	Purpose of research	1-20
1.4	Thesis overview	1-21
1.5	Statement of originality	1-23
	References	1-26

<b>Chapter 2</b>	<b>ECG de-noising</b>	<b>2-1</b>
	Table of Contents	2-1
	Table of Figures	2-2
2.1	Noise in ECG	2-4
2.2	Noise level requirement	2-5
2.3	Multi-beat average	2-6
2.4	Adaptive line enhancement	2-7
2.5	Beat sequence filter	2-8
2.5.1	Moving average beat sequence filter (MABS)	2-10
2.5.2	Wavelet transform de-noising (WTDN)	2-14
2.6	WTDN verification	2-17
2.6.1	Simulation ECG Signal	2-17
2.6.2	Clinical ECG Signal	2-20
	References	2-23
<b>Chapter 3</b>	<b>Endpoint location</b>	<b>3-1</b>
	Table of Contents	3-1
	Table of Figures	3-2
3.1	Wavelet packet and filter bank	3-6
3.2	Signal noise ratio & correlation coefficient between two Beats	3-8
3.3	ECG signal after passing the filter bank	3-9
3.4	Threshold selection	3-11
3.5	Filter bank selection	3-11
3.6	Method verification	3-12
3.6.1	Simulation ECG signal	3-12
3.6.2	Clinical ECG signal	3-15
	References	3-17

<b>Chapter 4</b>	<b>VLP variance detecting system</b>	<b>4-1</b>
	Table of Contents	4-1
	Table of Figures	4-2
4.1	Low noise amplifier	4-4
4.2	Data acquisition	4-5
4.3	ECG matrix conversion	4-6
4.4	Band pass filter	4-7
4.5	WTDN beat-sequence filter de-noising	4-8
4.6	QRS complex endpoint detecting	4-8
4.7	VLP index calculation	4-8
4.7.1	Parameters calculation using semi-de-noised signal	4-9
4.7.2	VLP index definition	4-10
	References	4-13
<b>Chapter 5</b>	<b>Results and conclusion</b>	<b>5-1</b>
	Table of Contents	5-1
	Table of Figures	5-2
	Table of Tables	5-3
5.1	Simulation signal	5-5
5.1.1	The effectiveness of the system	5-8
5.1.2	VLP variance detecting ability	5-11
5.2	Clinical signal	5-13
5.3	Discussion and conclusion	5-16
	References	5-19
<b>Chapter 6</b>	<b>Conclusions</b>	<b>6-1</b>
	Table of Contents	6-1

6.1	Conclusions	6-3
6.2	Suggestions for possible future work	6-4
6.2.1	Clinical issues	6-4
6.2.2	Weights in VLP index	6-5
6.2.3	System implementation platform	6-5
6.2.4	Algorithm implementation	6-6
	References	6-7
<b>Appendix A VLP indexes for clinical data</b>		<b>A-1</b>
	Table of Contents	A-1
	Table of Figures	A-2
<b>Appendix B Wavelet transform and Filter Bank</b>		<b>B-1</b>
	Table of Contents	B-1
	Table of Figures	B-3
B.1	Fourier transform	B-5
B.1.1	Short time Fourier transform	B-6
B.2	Wavelet transform	B-9
B.2.1	Continuous wavelet transform (CWT)	B-10
B.2.2	Discrete wavelet transform (DWT)	B-13
B.2.3	Multiresolution representation	B-15
B.2.4	Biorthogonal Wavelet Transform	B-19
B.2.5	Biorthogonal multiresolution representation	B-19
B.3	Filter bank	B-22
	References	B-35
<b>Appendix C Source code list</b>		<b>C-1</b>