

**In-Vitro Studies on the Intestinal Absorption Mechanisms of
Flavonoids in Herba Epimedii**

Ao Hei Sio

Master of Science

2008



**Institute of Chinese Medical Sciences
University of Macau**

碩士學位論文

淫羊藿黃酮腸道吸收機理的體外研究

研究生姓名： 歐喜笑
導 師： 鄭穎博士
專 業： 中藥學
日 期： 2008.6



澳門大學中華醫藥研究院

TABLE OF CONTENTS

TABLE OF CONTENTS.....	i
ACKNOWLEDGEMENTS.....	v
LIST OF TABLES.....	.vi
LIST OF FIGURES.....	vii
ABBREVIATION.....	ix
CHAPTER 1: INTRODUCTION.....	1
1.1. Rational of the study.....	1
1.2. Structures of flavonoids.....	3
1.3. Chemical compositions of flavonoids in Herba Epimedii.....	4
1.4. Absorption and bioavailability of flavonoids glycosides.....	5
1.5. Pharmacological activity of Herba Epimedii.....	6
1.5.1. Clinical studies.....	6
1.5.2. Animal studeis.....	7
1.6. Mechanisms of intestinal absorption.....	9
1.6.1. Passive transcellular transport.....	10
1.6.2. Paracellular transport.....	10
1.6.3. Carrier-mediated transport.....	11
1.7. ABC transporters.....	11
1.7.1. Structure of ABC transporters.....	12
1.7.1.1. P-glycoprotein (P-gp).....	12
1.7.1.2. Multidrug resistance-associated proteins (MRP2).....	13
1.7.1.3. Breasr cancer resistance protein (BCRP).....	13
1.8. In vitro/ in situ models to study intestinal absorption.....	15
1.8.1. Cell culture models.....	16
1.9 Aims and scope of the study.....	20

CHAPTER 2: MATERIALS AND METHODS	21
2.1. Materials	21
2.1.1. Chemicals.....	21
2.1.2. Materials for cell culture.....	21
2.1.3. Instrument	22
2.2. Methods.....	23
2.2.1. Analytical method.....	23
2.2.1.1. Analytical methods for validation of Caco-2 cell monolayer model	23
2.2.1.2. HPLC analysis of samples containing flavonoids	23
2.2.2. Determination of solubility profiles of HEP flavonoids in phosphate buffer.....	25
2.2.3. Determination of stability profiles of HEP flavonoids in phosphate buffer.....	26
2.2.4. Cell culture.....	26
2.2.5. Validation of Caco-2 cell monolayer model.....	26
2.2.5.1. Integrity of Caco-2 cell monolayer at pH 7.4	26
2.2.5.2. Permeability of paracellular and transcellular markers at pH 7.4.....	27
2.2.5.3. Validation of the existence of P-gp and MRP2 in Caco-2 monolayer	27
2.2.5.4. Cytotoxicity test.....	28
2.2.6. Transport study of HEP flavonoids using Caco-2 cell monolayer model.....	29
2.2.6.1. Preparation of different dosing forms of HEP flavonoids	29
2.2.6.2. Bi-directional transport experiment	30
2.2.6.3. Further investigation of the transport mechanisms of HEP flavonoids	31
2.2.7. Calculation	31
2.2.8. Data analysis	32

CHAPTER 3: RESULTS.....	33
3.1. HPLC analysis of samples containing HEP flavonoids.....	33
3.1.1. HPLC analysis of pure individual flavonoid	33
3.1.2. HPLC analysis of samples containing mixtures of HEP flavonoids.....	38
3.1.3. HPLC analysis of HEP total flavonoids extract.....	38
3.2. Solubility of individual pure HEP flavonoids.....	41
3.3. Stability of individual pure HEP flavonoids.....	42
3.4. Validation of the HPLC methods.....	42
3.4.1. Calibration curve.....	43
3.4.2. Precision and Accuracy.....	44
3.5. Validation of Caco-2 cell monolayer model.....	45
3.5.1. Permeability of paracellular and transcellular marker at pH 7.4	45
3.5.2. Validation of P-gp and MRP2 in Caco-2 cell monolayer	46
3.5.2.1 Western blot analysis	46
3.5.2.2. Immunofluorescent localization of P-gp and MRP2 in caco-2 cells	47
3.6. Cytotoxicity test.....	48
3.7. Transport study of HEP flavonoids.....	50
3.7.1. Bi-directional transport of HEP flavonoids in different dosing formulations.....	50
3.7.1.1. Absorption transport profile of HEP flavonoids in different dosing formulations	50
3.7.1.2. Secretion transport profile of HEP flavonoids in differet dosing formltions	51
3.8. Further investigation of the transport mechanisms of HEP flavonoids	53
3.8.1. Effect of EGTA on the bi-directional transport of ure individual flavonoid.....	53
3.8.2 Inhibition transport of Icarin.....	54
3.8.3. Inhibition transport of Icariside II.....	55

CHAPTER 4: DISCUSSION AND CONCLUSION60
BIBLIOGRAPHY65